

## PRODUCT DATA SHEET

### Adiponectin (HEK) Human, Rabbit Polyclonal Antibody

**Cat. No.:** RD181023100

**Size:** 0.1 mg

**Source of Antigen:** HEK293

**Type:** Polyclonal Antibody

**Host:** Rabbit

#### Other Names:

Adipocyte C1q and collagen domain-containing protein, Adipocyte complement-related 30 kDa protein, ACRP30, Adipose most abundant gene transcript 1 protein, apM-1, Gelatin-binding protein, ADIPOQ, ACDC, APM1, GBP28

#### Preparation:

The antibody was raised in rabbits by immunization with the recombinant Human Adiponectin.

#### Amino Acid Sequence of Immunogen:

Recombinant Human Adiponectin, total 234 AA. MW 25.5 kDa (calculated). UniProtKB acc.no. Q15848 (Glu19 – Asn244). C-Terminal flag tag (8 extra AA).

ETTTQGGPVL LPLPKGACTG WMAGIPGHPG HNGAPGRDGR DGTPGEKGEK  
GDPGLIGPKG DIGETGVPGA EGPRGFPGIQ GRKGEPGEA YVYRSAFSVG LETYVTIPNM  
PIRFTKIFYN QQNHYDGSTG KFHCNIPGLY YFAYHITVYM KDVKVSFLFKK DKAMLFTYDQ  
YQENNVDQAS GSVLLHLEVG DQVWLQVYGE GERNGLYADN DNDSTFTGFL  
LYHDTNDYKD DDDK

Glu 1 to Gln 5 were confirmed by N-terminal sequencing

#### Purification Method:

Immunoaffinity chromatography on a column with immobilized recombinant Human Adiponectin.

#### Species Reactivity:

Human

#### Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

#### Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. **\*\*AZIDE FREE\*\***.

#### Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

**Shipping:**

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

**Storage/Stability:**

The lyophilized antibody remains stable and fully active until the expiry date when stored at  $-20^{\circ}\text{C}$ . Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at  $-80^{\circ}\text{C}$ . Reconstituted antibody can be stored at  $4^{\circ}\text{C}$  for a limited period of time; it does not show decline in activity after one week at  $4^{\circ}\text{C}$ .

**Quality Control:**

Indirect ELISA – to determine titer of the antibody

SDS PAGE – to determine purity of the antibody

BCA - to determine quantity of the antibody

**Applications:**

ELISA, Immunohistochemistry, Western blotting

**Note:**

This product is for research use only.