

PRODUCT DATA SHEET

Leucine-Rich Alpha-2-Glycoprotein Human, Rabbit Polyclonal Antibody

Cat. No.: RD181183100

Size: 0.1 mg

Source of Antigen: Human pooled serum

Type: Polyclonal Antibody

Host: Rabbit

Other Names:

LRG

Preparation:

The antibody was raised in rabbits by immunization with the native Human LRG.

Amino Acid Sequence of Immunogen:

Native protein isolated from pooled human serum, 312 AA. MW: 34.35 kDa (calculated without glycosylation). Protein identity confirmed by LC-MS/MS (NCBI no. gi|16418467).

VTLSPKDCQV FRSDHGSSIS CQPPAEIPGY LPADTVHLAV EFFNLTHLPA NLLQGASKLQ
ELHLSSNGLE SLSPEFLRPV PQLRVLDLTR NALTGLPPGL FQASATLDTL VLKENQLEVL
EVSWLHGLKA LGHLDLSG NR LRLKLPGLLA NFTLLRRTL DL GENQLETLPD DLLRGPLQLE
RLHLEGNKLQ VLGKDLLLPQ PDLRYLFLNG NKLARVAAGA FQGLRQLDML DLSNNSLASV
PEGLWASLGQ PNWDMRDGFD ISGNPWICDQ NLSDLRRLWQ AQKDKMFSQN
DTRCAGPEAV KGQTLLAVAK SQ

Purification Method:

Immunoaffinity chromatography on a column with immobilized native Human LRG.

Species Reactivity:

Human. Not yet tested in other species.

Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. ****AZIDE FREE****.

Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at -20°C . Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80°C . Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C .

Quality Control:

Indirect ELISA – to determine titer of the antibody

SDS PAGE – to determine purity of the antibody

BCA - to determine quantity of the antibody

Applications:

Immunohistochemistry, Western blotting

Note:

This product is for research use only.