

PRODUCT DATA SHEET

Omentin-1 Human, Sheep Polyclonal Antibody

Cat. No.: RD184100100

Size: 0.1 mg

Source of Antigen: E. coli

Type: Polyclonal Antibody

Host: Sheep

Other Names:

Intelectin-1, ITLN-1, Intestinal lactoferrin receptor, Galactofuranose-binding lectin, Endothelial lectin HL-1, Omentin, INTL, ITLN, LFR, UNQ640/PRO1270

Preparation:

The antibody was raised in sheep by immunization with the recombinant Human Omentin.

Amino Acid Sequence of Immunogen:

Total 294 AA. MW: 32.7 kDa (calculated). N-terminal His-tag, 14 extra AA (highlighted). The AA sequence is identical to UniProtKB/Swiss-Prot entry Q8WWA0 (AA19–298).

MRGSHHHHHH GMASTDEANT YFKEWTCSSS PSLPRSCKEI KDECPSAFDG
LYFLRTENGV IYQTFCDMTS GGGGWTLVAS VHENDMRGKC TVGDRWSSQQ
GSKAVYPEGD GNWANYNTFG SAEAATSDDY KNPGYYDIQA KDLGIWHVNP
KSPMQHWRNS SLLRYRTDTG FLQTLGHNLF GIYQKYPVKY GEGKCWTDNG
PVIPVVYDFG DAQKTASYYS PYGQREFTAG FVQFRVFNNE RAANALCAGM
RVTGCNTEHH CIGGGGYFPE ASPQQCGDFS GFDWSGYGTH VGYS

Purification Method:

Immunoaffinity chromatography on a column with immobilized recombinant Human Omentin.

Species Reactivity:

Human. Not yet tested in other species.

Antibody Content:

0.1 mg (determined by BCA method, BSA was used as a standard)

Formulation:

The antibody is lyophilized in 0.05 M phosphate buffer, 0.1 M NaCl, pH 7.2. ****AZIDE FREE****.

Reconstitution:

Add 0.2 ml of deionized water and let the lyophilized pellet dissolve completely. Slight turbidity may occur after reconstitution, which does not affect activity of the antibody. In this case clarify the solution by centrifugation.

Shipping:

At ambient temperature. Upon receipt, store the product at the temperature recommended below.

Storage/Stability:

The lyophilized antibody remains stable and fully active until the expiry date when stored at -20°C . Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles and store frozen at -80°C . Reconstituted antibody can be stored at 4°C for a limited period of time; it does not show decline in activity after one week at 4°C .

Quality Control:

Indirect ELISA – to determine titer of the antibody

SDS PAGE – to determine purity of the antibody

BCA - to determine quantity of the antibody

Applications:

Immunohistochemistry, Western blotting

Note:

This product is for research use only.